

	L #	Hits	Search Text	DBs
1	L1	1	("20030000619").PN.	US-PGPUB; USPAT
2	L2	89990	polyester near3 (fiber filament strand cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	3581	2 and cobalt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	414	3 and (plating plated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	210	4 and rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	32	5 and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	49083	polyester adj (fiber filament strand cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	1896	7 and cobalt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	235	8 and (plating plated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	111	9 and rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	15	10 and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	17	6 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	5618	((428/375) or (428/378) or (428/379) or (428/389) or (428/395) or (428/395) or (428/390)).CCLS.	US-PGPUB; USPAT
14	L14	1057	13 and (polyester near3 (fiber filament strand cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L15	77	14 and cobalt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
16	L16	20	15 and rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L17	13	16 and (tire belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L18	7	16 not 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	838	((152/451) or (152/458) or (152/565)).CCLS.	US-PGPUB; USPAT
20	L20	206	19 and (polyester near3 (fiber filament strand cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L22	7	21 and rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L23	7	22 and (tire belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L21	7	20 and cobalt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	L24	525	(156/910).CCLS.	US-PGPUB; USPAT
25	L25	130	24 and (polyester near3 (fiber filament strand cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L27	8	26 and rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L28	8	27 and (tire belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L26	8	25 and cobalt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L29	9672	7 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	L30	499	29 and birefringence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L31	283	30 and density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
32	L32	178	31 and tenacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L33	141	32 and modulus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L34	29	33 and (crystal adj orientation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L35	7	34 and fineness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	L36	1	("6511747").PN.	USPAT